



TEST REPORT

Date: July 17, 2026

Page 1 of 6

[Redacted]

[Redacted]

:

[Redacted]

[Redacted]

:

[Redacted]

[Redacted]

Item name : Hawaiian Casual Shirt

Brand : /

Style/Model No. : SKU551608

Age Group Assessed as Per Age Guideline : /

Age Group Applied in Testing : /

Labeled Age Grading : /

Remark : /

Sample Receiving Date : July 13, 2026

Testing Period : From July 13, 2026 to July 17, 2026

Results : Please refer to the next page(s)

[Redacted]



Danick Qian
Authorized Signatory

TEST REPORT

Date: July 17, 2026

Page 2 of 6

Summary of Test Results:

TEST REQUEST

1. Flammability- 16 CFR 1610.

CONCLUSION

PASS

Tested part(s):

Seq. no	Test components description	Location
01	/	Blue shirt

TEST REPORT

Date: July 17, 2026

Page 3 of 6

Test result:

1. Flammability according to 16 CFR 1610:

Test Method: Standard for the flammability of clothing textiles (CPSC 16 CFR 1610 Subpart A).

Component No.	Original state		After refurbishing		Final classification	Conclusion(s)
01	1	-	6	-	See note 4	PASS
	2	-	7	-		
	3	-	8	-		
	4	-	9	-		
	5	-	10	-		
	Average value	-	Average value	-		

Note:

- 1) DNI = Did not ignite;
- 2) IBE = Ignited but extinguished;
- 3) All styles of the submitted toy samples (and its accessories) was/were tested, The above result only showed the most severe burn rate of the samples;
- 4) According to 16CFR 1610 Sec (d) (1): "All fabrics, both plain surface and raised-fiber surface textiles, regardless of weight, made entirely from any of the following fibers or entirely from combination of the following fibers: acrylic, modacrylic, nylon, olefin, polyester, wool."

Remark:

Test grade	Plain surface textile fabric	Raised surface textile fabric
Class 1	Burn time is 3.5 seconds or more ACCEPTABLE(3.5 sec is a pass)	(1)Burn time is greater than 7.0 seconds; or (2)Burn time is 0-7 seconds with no base burns (SFBB). Exhibits rapid surface flash only.ACCEPTABLE.
Class 2	Class 2 is not applicable to plain surface textile fabrics	Burn time is 4-7 seconds (inclusive) with base burn(SFBB).ACCEPTABLE.
Class 3	Burn time is less than 3.5 seconds. NOT ACCEPTABLE	Burn time is less than 4.0 seconds with base burn (SFBB). NOT ACCEPTABLE.

TEST REPORT

Date: July 17, 2026

Page 4 of 6

Modified-History

Revision	Description	Issued Date	Remark
Revision-0.0	Initial Test Report-Release	July 17, 2026	Derick Qian

TEST REPORT

Date: July 17, 2026

Page 5 of 6

Photograph of Sample:



TEST REPORT

Date: July 17, 2026

Page 6 of 6



TI authenticated the photo on original report on

***** End of Report *****